

# Psychiatric Risk in Non-Directed Living Liver Donation: Case Study

---

Tyler Branagan, PhD<sup>1</sup>

Nicole Reynolds, PsyD, ABPP<sup>1</sup>

Dana Parker, LCSW/ILDA CCTSW<sup>2</sup>

1. University of Colorado Department of Psychiatry

2. University of Colorado Hospital



Department of Psychiatry

SCHOOL OF MEDICINE

UNIVERSITY OF COLORADO ANSCHUTZ MEDICAL CAMPUS

[uchealth](https://www.uchealth.org)






# Potential Donor

---

- A 43 y/o Caucasian single female volunteered for non-directed living liver donation. Her Breeze form indicated that she is a clinical employee of our medical campus.

Medication	Dose	Indication
<b>Albuterol</b>	90 mcg Inhaler - PRN	Asthma
<b>Adderall</b>	30 mg XR QAM + 15 mg SR PRN	ADHD
<b>Cetirizine</b>	10 mg	Allergies
<b>Diazepam</b>	5 mg PRN	Anxiety
<b>Famotidine</b>	20 mg QD	GERD
<b>Haldol</b>	2 mg PRN	Mood stabilization
<b>Liothyronine</b>	5 mcg QD	hypothyroid
<b>Memantine</b>	10 mg	Bipolar Disorder
<b>Semaglutide</b>	4mg every 7 days	Weight loss
<b>Betahistine</b>	16 mg	weight loss
<b>Lithium</b>	300 mg	Bipolar Disorder
<b>Olanzapine</b>	2.5 mg	Mood Stabilization
<b>Sertraline</b>	100 mg BID	Obsessive Compulsive Disorder
<b>Botox</b>	injection	Tic disorder

# Clinical Course



# Feedback

---

- “You didn’t dismiss me. Instead, you have each been realistic about the potential concerns associated with my psychiatric diagnoses, and you have also been thoughtful about my life context, my ability to function well, and my history of seeking help and support when needed. My patients (even my high functioning student, resident, and physician patients) often face stigma related to mental health struggles. Yet, your team has been non-judgmental but also realistic.”

